

Max Exterior Range of Decors

GIVE YOUR BUILDINGS CHARACTER

exterior

for people who create



- 4 Products
- 8 Sustainability and Environment
- 9 Max Exterior Range of Decors
- 10 Finish
- **11** Sky
- 12 Individualdecor
- 14 Authentic
- 15 Metallic
- 16 Colour
- 26 Nature
- 34 Material
- 42 Decor overview

Create New Worlds

Shape, colour and material all convey emotions, tell stories and inspire new ideas. And they all lend our buildings character. Therefore, with this brochure we want provide you an overview of the creative and technical components of the Max Exterior panels for outdoor use.

If you have any questions that are not answered in this brochure, please contact our sales department or application engineering department at support@fundermax.biz. We are happy to help!

THE FIGURES IN OUR BROCHURES ARE SCHEMATIC REPRESENTATIONS AND ARE NOT TO SCALE.

Exclusion of Liability

The information made available in this document are exclusively for purposes of general information. Not all of the systems mentioned and shown in this document are appropriate or suitable for all areas of application. All customers and third parties are obligated to inform themselves thoroughly about FunderMax products, including their suitability for certain purposes. We explicitly recommend that you and other users of this document seek out independent expert advice on adherence to local planning and use requirements, applicable laws, regulations, standards, guidelines and testing standards. FunderMax accepts no liability in connection with the use of this document.


COPYRIGHT

ALL TEXTS, PHOTOGRAPHS, GRAPHICS, AND AUDIO AND VIDEO FI LES ARE PROTECTED BY COPYRIGHT LAW AS WELL AS BY FURTHER INTELLECTUAL PROPERTY LAWS AND MAY NOT BE DUPLICATED, ALTERED OR USED ON OTHER WEBSITES FOR PURPOSES OF BUSINESS, ETC.



What Max Exterior Can Do


Max Exterior panels are duromer high-pressure laminates (HPL) in accordance with EN 438-6 Type EDF that are produced in lamination presses under great pressure and high temperature. Double-hardened acrylic PUR resins provide extremely effective weather protection that is particularly suitable for longlasting balconies and façade claddings.



PROPERTIES*:

- Weather resistant to EN ISO 4892-2
- lightfast acc. to EN ISO 4892-3
- Double hardened
- Scratch resistant
- Solvent resistant
- Hail resistant
- Easy to clean
- Impact resistant EN ISO 178
- Suitable for all exterior applications
- Decorative
- Self-supporting
- Bending resistant EN ISO 178
- Frost resistant -80°C to 180°C (DMTA- OFI 300.128)
- Heat resistant -80°C to 180°C (DMTA- OFI 300.128)
- Easy to install

*STANDARD- AND ACTUAL-VALUES YOU WILL FIND ON OUR WEBSITE WWW.FUNDERMAX.AT.




₩ EASY TO INSTALL



Max Exterior F-Quality

As a standard, Max Exterior panels come printed on both sides. The core is flame-retardant and the surface is lightfast. Thanks to the double-hardened resin, it is also extremely weather resistant. (Fire Test EN 13501-1, B-s2,d0)



Sandwich-Elements

The Max Exterior panels in F-Quality also come polished on just one side for use in sandwich elements.



Processing (Compact Elements)

FunderMax offers CNC controlled processing and panel cutting. With state-of-the-art devices, it is possible to produce everything: from simple cutouts for mounting the façade panels, to intricate milling for balcony elements. We can make just about anything you can dream up.



Professional Consulting

With our services you can use our products even more effectively. For example, take advantage of our free architect consulting and comprehensive system solutions. The same is of course also true if you have any questions about the content of this brochure or the designs and technology.

Max Exterior F-Quality

Max Exterior is a high-quality construction product which is used especially for long-lasting balcony and façade claddings. Max Exterior panels are duromer high-pressure laminates (HPL) in accordance with EN 438-6 Type EDF with extremely effective weather protection. This weather protection consists of doublehardened acrylic polyurethane resins. They are produced in lamination presses under great pressure and at high temperatures. Max Exterior panels are, of course, labelled with the CE-Mark necessary for their use in building applications.

SURFACES

NT

NH (Hexa)/NT NG* (Gloss)/NG (Gloss) NY (SKY)/NT (format 4100 x 1854 mm only) (format 4100 x 1300 mm only) (format 4100 x 1300 mm only, thicknesses 6 mm, 8 mm, limited decor palette)

FORMATS (aprox)

2800 x 1300 = 3,64 m² 110,24" x 51,18" = 39,18 sf 4100 x 1300 = 5,33 m² 161,42" x 51,18" = 57,37 sf 2800 x 1854 = 5,19 m² 110,24" x 72,99" = 55,87 sf 4100 x 1854 = 7,60 m² TO GET A PERFECT
DESIGN OF THE FAÇADE
CLADDING WITH NG
SURFACE IT IS RECOMMENDED TO GLUE THE
PANELS ON AN ALUMINIUM-SUBCONSTRUCTION.
SUBCONSTRUCTION
LIKE WOOD DO NOT HAVE
THE RIGHT PROPERTIES TO AVOID A WAVY
APPEARANCE OF THE
CLADDING

CORE

F-Quality, flame-retardant, colour brown

THICKNESSES

Panels with double-sided decor:

Thicknesses Tolerances (EN 438-6, 5.3) 4,0 - 4,9 mm $\pm 0,3 \text{ mm}$ 5,0 - 7,9 mm $\pm 0,4 \text{ mm}$ $\pm 0,5 \text{ mm}$

12,0 - 13,0 mm ± 0,6 mm

Higher thicknesses on request in standard quality, Format XL.


Panels with sanded-reverse side:

For symmetrically structured sandwich elements.


Thicknesses Tolerances (EN 438-6, 5.3)

2,0 - 2,9 mm $\pm 0,2$ mm 3,0 - 4,0 mm $\pm 0,3$ mm

In order to be able to design the inner sides of balconies with a uniformly light look, it is also possible to produce Max Exterior panels with a white (rear) side using decor 0890 NT – Balcony white. As a result of the differing decor structure, the fastening spacings given in our Technical Information brochures should be reduced by about 15 %.



TOLERANCES +10 - 0 mm (EN 438-6, 5.3)
PANEL FORMATS ARE PRODUCTION FORMATS. IF EXACT DIMENSIONS AND ANGLES ARE NECESSARY, WE RECOMMEND AN ALL-SIDED BLANK.
DEPENDING ON THE METHOD OF TRIMMING, NET SIZE IS REDUCED BY CA. 10 mm.



PHYSICAL DATA

PROPERTIES	TEST METHOD	ASSESSMENT	STANDARD VALUE	ACTUAL VALUE			
LIGHT-FASTNESS AND WEATHER RESISTANCE (SURFACE NT)							
Artificial weathering*	EN ISO 4892-2 3000 h	EN 20105-A02 greyscale	≥ 3	4-5			
UV-light resistance	EN ISO 4892-3 1500 h	EN 20105-A02 greyscale	≥ 3	4-5			
PROPERTIES	TEST METHOD	ASSESSMENT	STANDARD VALUE	ACTUAL VALUE			
MECHANICAL PROPERTIES							
Apparent density	EN ISO 1183-1	g/cm³	≥ 1,35	≥ 1,35			
Flexural strength	EN ISO 178	MPa	≥ 80	≥ 80			
Modulus of elasticity	EN ISO 178	MPa	≥ 9.000	≥ 9.000			
Tensile strength	EN ISO 527-2	MPa	≥ 60	≥ 60			
Coefficient of thermal expansion	DIN 52328	1/K		18 x 10 -6			
Thermal conductivity		W/mK		0,3			
Water vapour diffusion resistance				ca. 17.200 µ			
FIRE BEHAVIOUR							
Europe	EN 13501-1	MA39-VFA Vienna	Euroclass B-s2, d0 für 6	- 20 mm			
Switzerland		EMPA Dübendorf	Fire classification 5.3 für 6 - 13 mm				
Germany	DIN 4102	MPA-Hannover	B1 für 6 - 10 mm				
France	NFP 92501	LNE	M1 für 2 - 10 mm				
Spain	UNE 23727-90	LICOF	M1 für 6 - 10 mm				
PERMITS							
Façade permit Germany		Institut für Bautechnik Berlin	6, 8, 10 mm, Approval-No. Z-33.2-16				
ETB guidelines for building components which safeguard against falls, June 1985. Balcony railings.				Passed (depending on building regulation and railing construction 6, 8 or 10 mm panel thickness)			
Avis technique Frankreich		CSTB	6, 8, 10 und 13 mm, wood- and metal subconstruction Avis Technique n° 2/10-1427 Avis Technique n° 2/12-1504 Avis Technique n° 2/12-1505 Avis Technique n° 2/12-1513 Avis Technique n° 2/12-1522				

 $^{^{\}star}$ DECOR AUTN: ARTIFICIAL WEATHERING EN ISO 4892-2: 1500H. IN ACCORDANCE WITH THE GRAY SCALE EN 20105-A02: 3

ALL THE RESPECTIVE CURRENT CERTIFICATES AND APPROVALS ARE AVAILABLE IN THE DOWNLOAD SECTION AT WWW.FUNDERMAX.AT. PLEASE OBSERVE ALL VALID BUILDING REGULATIONS. WE WILL ASSUME NO RESPONSIBILITY IN THIS REGARD.



Resource and Environmentally Friendly Façade Panels

We are specialists in the processing of renewable raw materials – and have been for over 100 years. Our production cycles are closed, production waste is either recycled back into the production process or used to generate energy in our green energy district heating plants. This works so well, that today as a private company we provide district heating to over 3,000 households.



QUALITY MANAGEMENT SYSTEMS

FunderMax has oriented its production facilities and processes on internationally recognized standards such as ISO 9001, ISO 14001, OHSAS 18001 and EN 16001. This fact gives all customers the assurance that they have in their hands a high-quality construction product. And in its procurement of raw materials and intermediate products, FunderMax orients itself on uptodate standards such as FSC and PEFC.

SUSTAINABLE PRODUCTION

Max Exterior is made from natural fibre panels — around 65%, by weight — consisting largely of wood that has been processed into "kraft papers". This wood is a by-product of sawn lumber production or of sawmills. We source these raw materials from vendors certified according to the standards FSC or PEFC. These standards ensure that the wood is produced in compliance with internationally applicable rules for sustainable forestry.

The kraft papers are impregnated with synthetic resins in impregnation facilities, dried, and pressed into durable, moisture-resistant panels under high pressure and heat. These panels do not contain organic halogen (or chlorine, fluorine, bromine, etc.) compounds such as are found in greenhouse gases or PVC. They contain neither asbestos nor wood protection agents (fungicides, pesticides, etc.) and are free of sulphur, mercury and cadmium.

The exhaust air removed from the drying process is treated using a process of regenerative thermal oxidation, with the resulting heat being fed back into said drying process. For its installation of this efficient exhaust air treatment, FunderMax was awarded the "Klima:aktiv" award for best practices by the Austrian Energy Agency and the Austrian Federal Ministry of the Environment. This avoids CO_2 emissions of ca. 10,000 tons annually at the production site.





WASTE DISPOSAL

Chips and shavings produced by processing (cutting and milling) are not hazardous to human health. This also means that waste can even be disposed of thermally without the emission of environmental toxins such as hydrochloric acid, organic chlorine compounds or dioxins, assuming modern heating systems. At appropriately high temperatures, and assuming both sufficiently long retention of the combustion gas in the combustion space and a sufficient oxygen supply, Max Exterior decomposes into carbon dioxide, nitrogen, water and ash. The energy emitted via this process can be put to use. Disposal in properly managed commercial waste disposal sites is unproblematic. As a matter of principle, country-specific laws and regulations with regard to disposal must be adhered to.




The curtain rises. Awaiting behind it are shimmering colours, expressive textures and millions of possible combinations. Tap into this source of inspiration and lend your buildings an unmistakable character.

FINISH

Our finishes are all weatherproof, optimally lightfast, highly durable, and combinable with almost every FunderMax decor.







NT The silk-matte look with a feel of fine hammer embossed finish.

NG The glossy high-class touch that enhances any decor.

NH Our surface with the specially printed hexagon pattern - slip-free and ideal for that special emphasis.

FUNDERMAX ®





SKY

DUE TO THE PRINTING PROCESS, THE ORIGINAL PATTERNS MAY DIFFER FROM THE IMAGES IN THIS BROCHURE.

With its distinctive gloss and matt facets, Sky opens up a world of possibilities. Appealing to the eye, and impressive to touch, it is full of depth and character. Unleashing new potential, especially when re-creating stone or concrete finishes.





















MAX EXTERIOR RANGE OF DECORS - INDIVIDUALDECOR



If you can think it, we can print it. Make your imagination into individual, large-sized decor concepts. With various formats and motifs spanning over multiple formats, your fantasy becomes reality. Give your buildings character with truly unique designs.

As a small inspirational source, we present to you a few application examples on next page. FunderMax Individualdecor has made all of them possible.

Find all information about FunderMax Individualdecor on www.individualdecor.com



Ideas with Form

With individual designs from FunderMax, you have the freedom to provide facades, balconies and outdoor-applications with creative and completely unique designs. Your design can be printed on single panels, or as in the image below, across several panels. Ideal for large designs and special visual effects.





Baumit Sales Location, Austria Impressive facade with a custom design from the Baumit advertising line. Design and photos: Baumit





Haus der Generationen, Österreich Treetop design for smooth transitions between home and environment. Designed by Gerhard Mitterberger.





Clientis Park, Switzerland Cubic headquarters with mosaic design and the highest energy standard. Concept by Architektengemeinschaft 4 and Atelier 47.



Authentic Natura

The power of nature forms these highly individual looks: its unparalleled structure gives Authentic Natura an exceptionally natural appearance. Combined with the lively decor structure, this look makes every single panel a unique item.





Civic centre Ginsheim-Gustavsburg, Germany Winner of the "Deutsche Fassadenpreis" 2011. Conceived by Hille Architekten, photographed by Horst Goebel.





Fire station Saltaus, ItalyMonolithic design, surrounded by nature.
Projected by architects Menz + Gritsch.



metallic

Metallic additionally gives your decors a timeless gleam. This is made possible by combining a transparent overlay with metallic flakes and a plaincoloured decor. If you're interested in other Metallic combinations, please get in touch with us.

5032 + GLITTER

NEW



0080 + GLITTER Black + G



0768 + GLITTER Sparrow + G



0056 + GLITTER




0077 + GLITTER Charcoal + G



0066 + GLITTER Sand + G






The eternal tension between light and shade – a daily presence, a continuous novelty. This much elegance is combinable with every other of our decors. Give your buildings maximum appeal through contrast.








MAX EXTERIOR RANGE OF DECORS - COLOUR



Fascinating optical intensity. With an all-new process, Max Exterior panels can now be produced with even more vibrant colours. Give your buildings incredible brilliance.






yellow

The last glimmering streak of a sunset. Jasmine flowers delicately glowing in the backlight. Give your buildings freshening colour shades.

0687 Maize	0647 Golden Yellow	0736 Saffron	0851 Winter White	0065 Ivory	0654 Jasmin




The lush gloss of fully ripe cherries. The soft play of colours in an opened rose blossom. Give your buildings deeply felt passion.






blue


The mysterious depth of the night sky over the city. Seawater glistening in a thousand different colour facets. Give your buildings fantastical inspiration.




MAX EXTERIOR RANGE OF DECORS - COLOUR



A sea of fern leaves in the forest's twilight. The iridescent eyes of a feline. Give your buildings a look of opulence.








MAX EXTERIOR RANGE OF DECORS - COLOUR



Clay castles in front of a steel-blue savannah sky. The delicately speckled house of a vineyard snail. Give your buildings a pristine, natural look.





Stones smoothed by the waters of the surf. Subtle interplay of ivory and cream shades. Give your building exceptionally noble looks.

Pale Ivory Sand Hygienic White Hygienic Beige Cream Orchid



impressive

Distinctive at first glance – and at any further one. The look of precious woods from all over the world. Give your buildings impressive style.






MAX EXTERIOR RANGE OF DECORS - NATURE



Clear lines and dynamic structures between warm solid wood and urban coolness. Give your buildings powerful simplicity.







iconic

Purposely asymmetric structures and high-contrast lighting makes for visually stunning dynamics. Give your buildings impulses overflowing with life.















MAX EXTERIOR RANGE OF DECORS - NATURE



essential

Detailed patterns, delicate lines, earthy expressions. A world of warm colours, reduced to its substance. Give your buildings charisma.




















Internally moved, caught in a constant flow. A fascinating play of colour, structure and material. Give your buildings effects that reveal something previously unseen every time you look.





MAX EXTERIOR RANGE OF DECORS - MATERIAL





Strong colour accents and calm structures in perfect harmony. Give your buildings timeless design.

















tender structures. Give your buildings fascinating plastic intensity.















MAX EXTERIOR RANGE OF DECORS - MATERIAL



Impressive, cold, larger than life: the scenery of a megacity transferred into gripping looks. Give your buildings the expression of modern metropolises.
















DECOR OVERVIEW

			FORMATS (mm) AND SURFACES									
DECOR TYPE	DECOR NO.	DECOR NAME	NEAREST NCS CODE	GR 2800 x 1300	JU 4100 x 1300	SP 2800 x 1854	XL 4100 x 1854	JU 4100 x 1300	XL 4100 x 1854	JU 4100 x 1300	DECOR ON REAR SIDE	GRAIN
COLOU			OODE	NT	NT	NT	NT	NG	NH*	NY*	OIDL	CITAIN
U	0056	Atlantis	S 3040-B40G	0	0	0	0	0	0		Х	N
U	0059	Dark Green	S 5020-G			0	0		0		Х	N
U	0065	lvory	S 0510-Y20R	0	0	0	0	0	0		Х	N
U	0066	Sand	S 1505-Y20R	0	0	0	0	0	0		Х	N
U	0070	Carbon Grey	S 7502-B	0	0	0	0	0	0		х	N
U	0073	Pale Ivory	S 0505-G90Y			0	0		0		Х	N
U	0074	Pastel Grey	S 2500-N	0	0	0	0	0	0		х	N
U	0075	Dark Grey	S 5000-N	0	0	0	0	0	0		Х	N
U	0077	Charcoal	S 7005-R50B	0	0	0	0	0	0		Х	N
U	0800	Black	S 9000-N	0	0	0	0	0	0		Х	N
U	0085	White	S 0502-G50Y	0	0	0	0	0	0		Х	N
U	0091	Starlight	S 0502-R50B	0	0	0	0	0	0		Х	N
U	0237	Gentian Blue	S 5040-R80B	0	0	0	0	0	0		Х	N
U	0591	Fir Green	S 7020-B90G	0	0	0	0	0	0		Х	N
U	0592	Kiwi Green	S 1015-G40			0	0		0		Х	N
U	0611	Pale Olive	S 2010-G90Y			0	0		0		Х	N
U	0612	Olive	S 5020-G70Y	0	0	0	0	0	0		X	N
U	0617	Petrol Green	S 6020-B30G			0	0		0		Х	N
U	0623	Green	S 4040-G10Y	0	0	0	0	0	0		X	N
U	0627	Hygienic Beige	S 2010-Y40R	0	0	0	0	0	0		Х	N
U	0631	Turquoise	S 6020-B10G	0	0	0	0	0	0		X	N
U	0645	Tobacco	S 4020-Y30R	0	0	0	0	0	0		X	N
U	0647	Golden Yellow	S 1050-Y10R	0	0	0	0	0	0		X	N
U	0651	Cream	S 0907-Y50R	0	0	0	0	0	0		X	N
U	0654	Jasmin Sania Brauna	S 1515-Y20R	0	0	0	0	0	0		X	N
U	0657 0661	Sepia Brown Terracotta	S 8010-Y50R S 4040-Y80R	0	0	0	0	0	0		X X	N N
U	0662	Jade Green	S 4010-G30Y	0	0	0	0	0	0		X	N
U	0663	Reseda Green	S 1510-G20Y	0	V	0	0	V	0		X	N
U	0674	Mars Red	S 1580-Y90R	0	0	0	0	0	0		X	N
U	0680	Wine Red	S 5040-R10B	0	0	0	0	0	0		X	N
U	0687	Maize	S 0520-Y20R	0	0	0	0	0	0		X	N
U	0689	Dark Red	S 2570-Y80R	0	0	0	0	0	0		X	N
U	0691	Purple	S 5040-Y90R	0	0	0	0	0	0		X	N
U	0692	Old Pink	S 4020-Y60R	0	0	0	0	0	0		х	N
U	0693	Orchid	S 2010-Y80R			0	0		0		Х	N
U	0702	Night Blue	S 8010-R70B	0	0	0	0	0	0		х	N
U	0703	Dove Blue	S 3020-B10G	0	0	0	0	0	0		Х	N
U	0706	Glacier Blue	S 2010-B			0	0		0		х	N
U	0712	Steel Blue	S 4030-B	0	0	0	0	0	0		Х	N
U	0717	Atlantic	S 2060-R90B	0	0	0	0	0	0		х	N
U	0725	Yellowish Green	S 1060-G60Y	0	0	0	0	0	0		Х	N
U	0733	Hygienic White	S 0804-Y30R	0	0	0	0	0	0		Х	N
U	0736	Saffron	S 1050-Y20R	0	0	0	0	0	0		Х	N
U	0741	Birch Grey	S 2002-G50Y	0	0	0	0	0	0		х	N
U	0742	Pebble Grey	S 1002-Y	0	0	0	0	0	0		х	N
U	0747	Medium Grey	S 4502-Y	0	0	0	0	0	0		х	N
U	0753	Cool Grey Medium	S 3502-B	0	0	0	0	0	0		Х	N
U	0768	Sparrow	S 6005-Y20R	0	0	0	0	0	0		х	N
U	0776	Concrete Grey	S 4005-B20G	0	0	0	0	0	0		Х	N
U	0851	Winter White	S 0505-Y30R	0	0	0	0	0	0		Х	N
U	3003	Rubinus Red	S 2570-R	0	0	0	0	0	0		Х	N
U	3007	Black Red	S 8010-R10B			0	0		0		х	N
U	5032	Cinnamon	S 3560-Y30R	0	0	0	0	0	0		Х	N
U	6010	Electric	S 0580-Y	0							0077	N
U	6020	Satsuma	S 0585-Y40R	0							0077	N
U	6030	Candy	S 1070-R20B	0							0077	N
U	6031	Berry	S 2065-R20B	0							0077	N
U	6040	Grape	S 3555-R60B	0							0077	N
U	6050	Pool	S 1565-B	0							0077	N

LEGEND

X = DESIGN ON BOTH SIDES

O = NO QUANTITY LIMIT, DELIVERY TIME PROVIDED UPON REQUEST.

R = THIS DESIGN IS UNI-DIRECTIONAL. PLEASE NOTE FOR OPTIMIZATION AND CUTTING.

N = THIS DESIGN IS MULTI-DIRECTIONAL. YOU CAN TURN IT WHEN CUTTING.

PROTECTIVE LAMINATE COVER FOR TRANSPORT AVAILABLE FOR AN EXTRA CHARGE.

U = COLOUR H = NATURE M = MATERIAL S = METALLIC C = AUTHENTIC

FUNDERMAX ®

NATURE H ()	NO.	DECOR NAME Dark Afro Light Afro Akro Rust Akro Ruby Sun Pear Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz Creek	GR 2800 X 1300 NT O O O O O O O O O O O O O O O O O O	JU 4100 × 1300 NT	SP 2800 x 1854 NT	XL 4100 × 1854 NT	JU 4100 x 1300 NG	XL 4100 x 1854 NH*	JU 4100 x 1300 NY*	DECOR ON REAR SIDE X X X X X	GRAIN R R R R R
NATURE NAT	NO. 0160 0161 0168 0169 0601 0803 0919 0922 0923 0924 0925 0926 0927 0928	Dark Afro Light Afro Akro Rust Akro Ruby Sun Pear Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz	1300 NT	1300 NT	1854 NT	1854 NT O O O O O	1300 NG O O O O O	1854 NH* O O O	1300	X X X X X X	R R R R R
H ()	0160 0161 0168 0169 0601 0801 0803 0919 0922 0923 0924 0925 0926 0927	Light Afro Akro Rust Akro Ruby Sun Pear Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz			0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0	NY*	x x x x	R R R R
H (1)	0161 0168 0169 0601 0801 0803 0919 0922 0923 0924 0925 0926 0927	Light Afro Akro Rust Akro Ruby Sun Pear Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz			0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0		x x x x	R R R R
H (H) (H) (H) (H) (H) (H) (H) (H) (H) (H	0168 0169 0601 0801 0803 0919 0922 0923 0924 0925 0926 0927	Akro Rust Akro Ruby Sun Pear Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz		0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0	0 0 0	0 0		x x x x	R R R
H (H	0169 0601 0801 0803 0919 0922 0923 0924 0925 0926 0927 0928	Akro Ruby Sun Pear Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz	0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0	0 0 0	0 0 0	0		x x x	R R R
H (0	0601 0801 0803 0919 0922 0923 0924 0925 0926 0927	Sun Pear Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0	0 0	0 0	0		x x	R R
H ()	0801 0803 0919 0922 0923 0924 0925 0926 0927	Fir Platinum Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz	0 0 0 0 0	0 0 0 0	0 0	0	0			Х	R
H ()	0803 0919 0922 0923 0924 0925 0926 0927	Tyrol Pine Ecuador Amazon Enigma Taurus Butterfly Jazz	0 0 0 0	0 0 0	0	0	0	0			
H ()	0919 0922 0923 0924 0925 0926 0927	Ecuador Amazon Enigma Taurus Butterfly Jazz	0 0 0	0 0	0			0		Х	
H ()	0922 0923 0924 0925 0926 0927	Amazon Enigma Taurus Butterfly Jazz	0 0 0	0		0	_				R
H ()	0923 0924 0925 0926 0927 0928	Enigma Taurus Butterfly Jazz	0 0	0			0	0		Х	R
H ()	0924 0925 0926 0927 0928	Taurus Butterfly Jazz	0		0	0	0	0		X	R
H ()	0925 0926 0927 0928	Butterfly Jazz	0	0	0	0	0	0		Х	R
H () H () H () H () H () H ()	0926 0927 0928	Jazz			0	0	0	0		X	R
H () H () H () H ()	0927 0928			0	0	0	0	0		X	R
H () H () H ()	0928	Стеек	0	0	0	0	0	0		X	R
H (0-1-1-0	0	0	0	0	0	0		X	R
H (0323	Gold Coast	0	0	0	0	0	0		X X	R R
н (0030	Antique	0	0	0	0	0	0			
	0930 0931	Phoenix Akro Almond	0	0	0	0	0	0		X X	R R
	0932	Akro Terra	0	0	0	0	0	0		X	R
	0935	Voyager	0	0	0	0	0	0		X	R
	0936	Thunder	0	0	0	0	0	0		X	R
	5171	Polar Oak	0	0	0	0	0	0		X	R
	5172	Marshland Oak	0	0	0	0	0	0		X	R
	5172	Barrique Oak	0	0	0	0	0	0		X	R
MATERIA		Barrique Care	NT	NT	NT	NT	NG	NH*	NY*	X	- ''
	0026	Prado Alu Grey	0	0	0	0	0	0		х	R
	0027	Prado Agate Grey	0	0	0	0	0	0		X	R
	0028	Prado Brown	0	0	0	0	0	0		Х	R
	0156	Afro Patina	0	0	0	0	0	0		Х	R
	0158	Afro Grey	0	0	0	0	0	0		Х	R
	0159	Afro Black	0	0	0	0	0	0		Х	R
vi (0162	Afro Sahara	0	0	0	0	0	0		х	R
vi (0344	Riverside	0	0	0	0	0	0	0	Х	R
vi (0386	Blues	0	0	0	0	0	0		х	R
vi (0387	Reggae	0	0	0	0	0	0		Х	R
vI (0394	Moonwalk	0	0	0	0	0	0	0	х	R
vI (0406	Rockstar	0	0	0	0	0	0	0	Х	R
vi (0421	Venus	0	0	0	0	0	0	0	х	R
vi (0426	Loft	0	0	0	0	0	0	0	Х	R
vi (0427	Skyline	0	0	0	0	0	0	0	Х	R
M (0428	Cave	0	0	0	0	0	0		Х	R
vi (0429	Corro	0	0	0	0	0	0		х	R
M (0480	Kings Cross	0	0	0	0	0	0		х	R
M (0481	Satellite	0	0	0	0	0	0		х	R
M (0496	Colosseum	0	0	0	0	0	0	0	Х	R
M (0497	Stonehenge	0	0	0	0	0	0	0	х	R
M (0793	Patina Tin	0	0	0	0	0	0	0	Х	R
	0794	Patina Bronze	0	0	0	0	0	0	0	Х	R
	0798	Tambora	0	0	0	0	0	0		Х	R
METALLI			NT	NT	NT	NT	NG	NH*	NY*		
٠.	0056 + G	Atlantis + Glitter	0	0			0			х	R
' .	0066 + G	Sand + Glitter	0	0			0			х	R
' .	0077 + G	Charcoal + Glitter	0	0			0			х	R
• .	0080 + G	Black + Glitter	0	0			0			х	R
' .	0768 + G	Sparrow + Glitter	0	0			0			х	R
٠ .	5032 + G	Cinnamon + Glitter	0	0			0			Х	R
AUTHEN	AUTN	Authentic Natura	NT	NT	NT	NT o	NG	NH*	NY*	Х	R

NT NG = GLOSS NH = HEXA NY = SKY

^{*}BACK NT
**ARTIFICIAL WEATHERING EN ISO 4892-2: 1500H.
IN ACCORDANCE WITH THE GRAY SCALE EN 20105-A02: 3



FUNDERMAX FRANCE FUNDEHMAX FHANCE 3 Cours Albert Thomas F-69003 Lyon Tel.: + 33 (0) 4 78 68 28 31 Fax: + 33 (0) 4 78 85 18 56 infofrance@fundermax.biz www.fundermax.fr

FUNDERMAX SPAIN

FUNDERMAX SPAIN
Pol. Ind. Can Salvatella Avda. Salvatella, 85–97
E-08210 Barberà del Vallès (Barcelona)
Tel.: + 34 93 729 63 45
Fax: + 34 93 729 63 46

info.spain@fundermax.biz www.fundermax.es

FUNDERMAX INDIA Pvt. Ltd. FUNDERMAX INDIA Pvt. Ltd No. 13, 1st floor, 13th Cross Wilson Garden Bangalore – 560 027 Tel.: + 91 80 4112 7053 Fax: + 91 80 4112 7053 officeindia@fundermax.biz www.fundermax.at

FUNDERMAX POLSKA Sp. z o.o. ul. Rybitwy 12 PL-30 722 Kraków Tel.: + 48 12 653 45 28 Fax: + 48 12 657 05 45 infopoland@fundermax.biz

FUNDERMAX SWISS AG Industriestrasse 38 CH-5314 Kleindöttingen Tel.: +41 56 268 83 11 Fax: +41 56 268 83 10 infoswiss@fundermax.biz www.fundermax.ch

FUNDERMAX NORTH AMERICA INC. FUNDERMAX NORTH AMERIC 2015 Ayrsley Town Blvd. Suite 202 Charlotte, NC 28273, USA Tel.: +1 980 299 0035 Fax: +1 704 280 8301 office.america@fundermax.biz

FunderMax GmbH

Klagenfurter Straße 87-89, A-9300 St. Veit/Glan T +43 (0) 5/9494-0, F +43 (0) 5/9494-4200 office@fundermax.at, www.fundermax.at

MEMBER OF Constantia INDUSTRIES