




SCOPE OF CERTIFICATION

Fire Door Scheme to BS 476: Part 22 or BS EN 1634-1

Manufacturer of Fire Doors in accordance with the Exova BM TRADA Q-Mark Scheme requirements

This document remains the intellectual property of Exova BM TRADA. It shall not be made available to another person or company without the prior written permission of Exova BM TRADA.

Greenlam Industries Ltd 1501-1505 Narain Manzil 23 Barakhamba Road New Delhi 110001 India	Manufacturing Site: E-176-179, SP-02, RIICO Industrial Area, Phase 2 Delhi-Jaipur National Highway No. 8 Behror Rajasthan 301 701 India	Completed: E. Watkin 	Checked: D. Kitchin 	 <p style="font-weight: bold; margin-top: 10px;">This scope of certification supports Certificate Number 006/1067</p> <p style="font-size: small;">The validity of this scope document should be checked against the current schedule of the Company's certification listed on the Exova BM TRADA website www.exovabmtrada.com.</p>	
Issue: 1	Date: 18th April 2017	Details: First issue of scope.			

Assessment/ Test Report	Owner of Assessment/ Report	Doorset Description	Rating	Test Type	Initial Type Test Lab (UKAS Ref)	Valid ✓✗	Rev	Audit Tested
BMT/CAN/F16082	Greenlam Industries Ltd	Optima 30	30min	BS476 Part 22	EBMT (1762) EWF (0249)			
BMT/CAN/F16083	Greenlam Industries Ltd	Optima 60	60min	BS476 Part 22	EBMT (1762)			
Chilt/A01204	Halspan Limited	Optima 30	30min	BS476 Part 22	EBMT (1762)			
Chilt/A01205	Halspan Limited	Optima 60	60min	BS476 Part 22	EBMT (1762) EWF (0249)			
Chilt/A05151	Halspan Limited	Halspan 90	90min	BS476 Part 22	EBMT (1762)			
BMT/CNA/F15082	Halspan Limited	Halspan 120	120min	BS476 Part 22	Cambridge Fire Research (4319)			
Chilt/A12151	Blankfort Inc.	Blankfort 30/ Blankfort 30+	30min	BS476 Part 22	EBMT 1762			
Chilt/A12152	Blankfort Inc.	Blankfort 60/ Blankfort 60+	60min	BS476 Part 22	EBMT 1762 Cambridge Fire 4319			

BMT/CNA/F15120	Sealed Tight Solutions Ltd	Door Leaf Edge Seals	30min	BS476 Part 22	EBMT 1762			
BMT/CNA/F15121	Sealed Tight Solutions Ltd	Door Leaf Edge Seals	60min	BS476 Part 22	EBMT 1762			

Please note:

- BMT/CNA/F15120 can only be used with Chilt/A01204
- BMT/CNA/F15121 can only be used with Chilt/A01205